European Journal of Clinical Investigation

The Journal of The European Society for Clinical Investigation

Editors-in-Chief A. M. McGregor, J. Moxham, A. L. W. F. Eddleston

Volume 26, 1996

Oxford London Edinburgh Boston Melbourne Paris Berlin Vienna

Published by Blackwell Science Ltd, Osney Mead, Oxford OX2 0EL, UK.

© 1996 Blackwell Science Ltd. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $11.50 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor 0014-2972/96 $11.50.

The use of registered names, trade marks, etc., in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulation and therefore free for general use.

Published by Blackwell Science Ltd
Osney Mead, Oxford, OX2 0EL, UK.
25 John Street, London, WC1N 2BL, UK.
23 Ainslie Place, Edinburgh, EH3 6AJ, UK.
Blackwell Science Inc, Suite 500, 5th Floor, 238 Main Street, Cambridge, MA 02142, USA.
Blackwell Science Pty Ltd, 54 University Street, Carlton, Victoria 3053, Australia.
Arnette Blackwell SA, 1 rue de Lille, 75007, Paris, France.
Blackwell Wissenschaft Verlag GmbH, Kurfürstendamm 57, D-10707, Berlin Germany.
Blackwell Wissenschafts-Verlag Gmbh, Zehetnergasse 6, A-1140 Vienna, Austria.

ISSN 0014-2972

Printed in Great Britain at The Alden Press Ltd, Oxford.

Contents of Volume 26

Number 1, January 1996

Review: The Jak-STAT pathway: specific signal transduction from the cell membrane to the nucleus: *M. H. Heim* 1

Apolipoprotein E2 (Arg-136 → Cys), a variant of apolipoprotein E associated with late-onset dominance of type III hyperlipoproteinaemia: *G. Feussner, M. Albanese, W. A. Mann, A. Valencia and H. Schuster* 13

Serial changes in serum vitamin K_1, triglyceride, cholesterol, osteocalcin and 25-hydroxyvitamin D_3 in patients after hip replacement for fractured neck of femur or osteoarthritis: *N. B. Roberts, J. D. Holding, H. P. J. Walsh, L. Klenerman, T. Helliwell, D. King and M. Shearer* 24

Altered release of endothelin-1,2 and thromboxane B_2 from trophoblastic cells in pre-eclampsia: *M. Cervar, F. Kainer, C. J. P. Jones and G. Desoye* 30

Decreased release of glutathione into the systemic circulation of patients with HIV infection: *B. Helbling, J. von Overbeck and B. H. Lauterburg* 38

Immunosuppressive effects of endotoxins and bile acids *in vivo* in the rat: *K. Aouad, Y. Calmus, B. Nordlinger, A. Myara, B. Weill and R. Poupon* 45

Smoking further increases platelet activity in patients with mild hypertension: *G. Gleerup and K. Winther* 49

Regulation of platelet-activating factor production in gastric epithelial cells: *I. Sobhani, Y. Denizot, L. Moizo, J. P. Laigneau, A. Bardo, C. Laboisse, J. Benveniste and M. J. M. Lewin* 53

Reduction in thyroid volume after radioiodine therapy of Graves' hyperthyroidism: results of a prospective, randomized, multicentre study: *H. Peters, C. Fischer, U. Bogner, C. Reiners and H. Schleusener* 59

Erythrocyte Na^+-H^+ exchanger kinetics and Na^+-Li^+ countertransport activity in essential hypertensive patients: *P. Delva, C. Pastori, M. Degan, G. Montesi, C. Lechi, A. Steele and A. Lechi* 64

Co-regulation of apo A-I, apo C-III and apo A-IV gene expression in human intestinal biopsies: *S. Metzger, Y. Levy, R. Arnon and T. Chajek-Shaul* 71

Sex differences in initial clearance of palmitate by human hepatocytes: *S. M. Pond, R. A. Gordon and L. Bass* 76

High tissue factor concentration in the omentum, a possible cause of its hemostatic properties: *A. Logmans, C. H. H. Schoenmakers, S. M. Haensel, I. Koolhaven, J. B. Trimbos, M. van Lent and H. E. van Ingen* 82

Rapid Communication: Induction of glutathione-*S*-transferase-pi by short-chain fatty acid in the intestinal cell line caco-2: *J. Stein, O. Schröder, M. Bonk, G. Oremek, M. Lorenz and W. F. Caspary* 84

Erratum 88

Instructions to authors

Number 2, February 1996

Review: Triglyceride-rich lipoproteins in non-insulin-dependent diabetes mellitus: post-prandial metabolism and relation to premature atherosclerosis: *F. H. A. F. de Man, M. Castro Cabezas, H. H. J. J. van Barlingen, D. W. Erkelens and T. W. A. de Bruin* 89

Review: The assembly of lipoprotein Lp(a): *S. Frank, S. Durovic and G. M. Kostner* 109

Elevated cell-associated levels of interleukin 1β and interleukin 6 in inflamed mucosa of inflammatory bowel disease: *E. Gröttrup-Wolfers, J. Moeller, U. Karbach, S. Müller-Lissner and S. Endres* 115

Use of recombinant human erythropoietin in combination with parenteral iron in the treatment of postpartum anaemia: *C. Breymann, R. Zimmermann, R. Huch and A. Huch* 123

Assay of human erythrocyte sodium-dependent lithium efflux: the importance of timing of blood sampling: *G. I. Adebayo, P. Gaffney, M. Sinnott and J. Feely* 131

Defective interferon-gamma production by T-lymphocytes from patients with acute brucellosis: *M. Rodriguez-Zapata, I. Salmeron, L. Manzano, O. J. Salmeron, A. Prieto and M. Alvarez-Mon* 136

Partial conservation of the *sn*-2 position of dietary triglycerides in fasting plasma lipids in humans: *P. L. Zock, J. Gerritsen and M. B. Katan* 141

Objective determination of pH thresholds in the analysis of 24 h ambulatory oesophageal pH monitoring: *B. L. A. M. Weusten, J. M. M. Roelofs, L. M. A. Akkermans, G. P. vanBerge-Henegouwen and A. J. P. M. Smout* 151

Cytokine profiles in bronchoalveolar lavage fluid and blood in HIV-seronegative patients with *Pneumocystis carinii* pneumonia: *R. M. Perenboom, A. C. H. W. van Schijndel, P. Beckers, R. Sauerwein, H. W. van Hamersvelt, J. Festen, H. Gallati and J. W. M. van der Meer* 159

Rapid Communication: *In vitro* inactivation of mammalian methionine synthase by nitric oxide: *A. Nicolaou, S. H. Kenyon, J. M. Gibbons, T. Ast and W. A. Gibbons* 167

Rapid Communication: Erythrocyte membrane fluidity in adult polycystic kidney disease: difference between intact cells and ghost membranes: *K. Vareesangthip, T. H. Thomas, P. Tong and R. Wilkinson* 171

Number 3, March 1996

Review: Molecular determinants of human immunodeficiency virus type I phenotype variability: *R. A. M. Fouchier and H. Schuitemaker* 175

Serum and urine markers of type I collagen metabolism in elderly women with high and low bone mineral density: *S. Cheng, V. Kovanen, E. Heikkinen and H. Suominen* 186

Preserved vasodilator response to adenosine in insulin-dependent diabetes mellitus: *G. A. Rongen, E. Ginneken, Th. Thien, J. A. Lutterman and P. Smits* 192

Influences of lipid and non-lipid nutritional parameters on factor VII coagulant activity in normal subjects: the Nove Study: *D. Girelli, O. Olivieri, P. L. Arigliano, P. Guarini, A. Bassi and R. Corrocher* 199

Complete congenital heart block is associated with increased autoantibody titers against calreticulin: *T. Orth, T. Dörner, K.-H. Meyer zum Büschenfelde and W. -J. Mayet* 205

Multiple abnormalities in the transfer of phospholipids from VLDL and LDL to HDL in non-insulin-dependent diabetes: *M. Elchebly, T. Pulcini, B. Porokhov, F. Berthezene and G. Ponsin* 216

Elevated serum neopterin level: its relation to endotoxaemia and sepsis in patients with major burns: *Y.-M. Yao, Y. Yu, Y. P. Wang, H.-M. Tian and Z.-Y. Sheng* 224

Measurement of post-absorptive glucose kinetics in non-insulin-dependent diabetic patients: methodological aspects: *V. Rigalleau, M. Beylot, M. Laville, C. Guillot, G. Deleris, J. Aubertin and H. Gin* 231

Increased serum concentrations of the carboxy-terminal cross-linked telopeptide of collagen type 1 in patients with Gram-negative septicaemia: *C. Wenisch, W. Graninger, E. Schönthal and H. Rumpold* 237

Regression speed of cardiac myosin heavy-chain isozyme V3 in loaded right or left ventricle after relief of the load: *S.-I. Imamura, A. Takao and R. Matsuoka* 240

Plasma factor VII and its relation to adipose tissue fatty acids and other atherogenic risk factors in healthy men: *M. Cigolini, G. Targher, J. C. Seidell, R. Schiavon, M. Tonoli, M. Muggeo and G. De Sandre* 247

Rapid Communication: Growth hormone potentiates the *in vivo* biological activities of endotoxin in the rat: *W. Liao, M. Rudling and B. Angelin* 254

Number 4, April 1996

Commentary: Steroid hormones and adipose tissue: *J. B. Prins, S. O'Rahilly and V. K. K. Chatterjee* 259

Identification of oestrogen receptors and oestrogen receptor mRNA in human adipose tissue: *S. B. Pedersen, P. S. Hansen, S. Lund, P. H. Andersen, A. Odgaard and B. Richelsen* 262

Erythropoietic protoporphyria: two populations of reticulocytes, with and without protoporphyrin: *A. Brun, H. Steen and S. Sandberg* 270

Effect of regular physical training on age-associated alteration of body composition in men: *F. F. Horber, S. A. Kohler, K. Lippuner and P. Jaeger* 279

Synergistic stimulatory effects of tumour necrosis factor α and interferon γ on replication of human immunodeficiency virus type 1 and on apoptosis of HIV-1-infected host cells: *X. Han, K. Becker, H. J. Degen, H. Jablonowski and G. Strohmeyer* 286

Echo-Doppler left ventricular filling abnormalities in patients with rheumatoid arthritis without clinically evident cardiovascular disease: *S. Corrao, L. Sallì, S. Arnone, R. Scaglione, A. Pinto and G. Licata* 293

Serum neurone-specific enolase as an indicator of stroke volume: *R. T. Cunningham, M. Watt, J. Winder, S. McKinstry, J. T. Lawson, C. F. Johnston, S. A. Hawkins and K. D. Buchanan* 298

The effect of folic acid on the homocysteine metabolism in human umbilical vein endothelial cells (HUVECs): *E. F. Van Der Molen, L. P. W. J. Van den Heuvel, M. T. W. B. Te Poele Pothoff, L. A. H. Monnens, T. K. A. B. Eskes and H. J. Blom* 304

Differences in phospholipase A_2 activity between males and females and Asian Indians and Caucasians: *T. Kuslys, B. S. Vishwanath, F. J. Frey and B. M. Frey* 310

Hyperlipoprotein(a)aemia in nephrotic syndrome: *J. Thiery, B. Ivandic, G. Bahlmann, A. K. Walli and D. Seidel* 316

Quantitative and qualitative alterations of dystrophin are expressed in muscle cell cultures of Xp21 muscular dystrophy patients (Duchenne and Becker type): *T. Mongini, C. Doriguzzi, L. Palmucci and L. Chiado Piat* 322

Arginine, lysine and ornithine as vasodilators in the forearm of man : *P. Rhodes, C. S. Barr and A. D. Struthers* 325

Acute hyperinsulinaemia decreases cholesterol synthesis less in subjects with non-insulin-dependent diabetes mellitus than in non-diabetic subjects: *R. P. Naoumova, M. H. Cummings, G. F. Watts, N. B. Rendell, G. W. Taylor, P. H. Sonksen and G. R. Thompson* 332

Erratum 341

Number 5, May 1996

Review: Pathogenesis of cholesterol gallstones: a parsimonious hypothesis: *M. D. Apstein and M. C. Carey* 343

Review: Role of catecholamines in platelet function: pathophysiological and clinical significance: *G. Anfossi and M. Trovati* 353

First-pass uptake of methotrexate after intra-arterial bolus injection in human head and neck cancers: *B. Blöchl-Daum, R. Mader, W. Millesi, S. Lang, H. Rainer, R. Eglmeier, M. Müller, G. Zanaschka and H. G. Eichler* 371

Inhibited neutrophil functions in patients treated with nifedipine but not with verapamil or diltiazem: *R. Levy, O. Nagauker-Shriker and F. Schlaeffer* 376

Normalization of peripheral thyroid hormone metabolism induced by successful chronic amiodarone treatment in patients with ventricular arrhythmias: *G. Iervasi, A. Clerico, S. Berti, A. Pilo, A. Biagini, R. Bianchi and L. Donato* 382

Bone alkaline phosphatase measured with a new immunoradiometric assay in patients with metabolic bone diseases: *S. Gonnelli, C. Cepollaro, A. Montagnani, G. Monaci, M. S. Campagna, M. B. Franci and C. Gennari* 391

Effect of cyproheptadine on episodic ACTH and cortisol secretion: *T. H. Schürmeyer, G. Brademann and A. von zur Mühlen* 397

Kinetics of soluble TNF-receptors and soluble adhesion molecules ICAM-1, E-selectin, and VCAM-1 under systemic rhTNFα therapy: *M. W. J. Boehme, R. Waldherr, A. Kist, S. Riedl, R. Walter-Kirst, J. Kempeni and U. Raeth* 404

The antifibrinolytic effect of lipoprotein(a) in heterozygous subjects is modulated by the relative concentration of each of the apolipoprotein(a) isoforms and their affinity for fibrin : *L. Hervio, A. Girard-Globa, V. Durlach and E. Anglés-Cano* 411

The isoform-specific expression of the tri-iodothyronine receptor in osteoblasts and osteoclasts: *T. J. Allain, P. M. Yen, A. M. Flanagan and A. M. McGregor* 418

Number 6, June 1996

Review: Human serum amyloid A (SAA) protein: a prominent acute-phase reactant for clinical practice: *E. Malle and F. C. de Beer* 427

Review: Vitamin D deficiency and osteoporosis: the role of vitamin D deficiency and treatment with vitamin D and analogues in the prevention of osteoporosis-related fractures: *P. Lips* 436

Nerve conduction velocity in human limbs with late sequelae after local cold injury: *A. Arvesen, J. Wilson and L. Rosén* 443

Minimal myocardial lesions caused by endomyocardial biopsy can be detected by a commercially available cardiac troponin-T enzyme-linked immunosorbent assay: *K. Lang, H. H. Sigusch, A. Börner, M. Hoffmann, H. Kühnert, U. Leder and S. Müller* 451

Elevated plasma adrenomedullin level in hyperthyroidism: *M. Taniyama, K. Kitamura, Y. Ban, T. Eto and T. Katagiri* 454

Computerized evaluation of skin stiffening in scleroderma: *N. Nikkels-Tassoudji, F. Henry, C. Piérard-Franchimont and G. E. Piérard* 457

Effects of group-A streptolysin O on neonatal and adult red blood cell deformability and haemolysis: *J. M. B. Pöschl, P. Ruef, M. Schnauffer and O. Linderkamp* 461

Immunochemical and biomolecular studies of circulating immune complexes isolated from patients with acute and chronic hepatitis C virus infection: *D. Sansonno, A. R. Iacobelli, V. Cornacchiulo, G. Lauletta, M. A. Distasi, P. Gatti and F. Dammacco* 465

Rate of development of mutation at codon 215 of HIV-1 reverse transcriptase and its predictive factors at the time of initiation of zidovudine therapy: *M. Leal, C. Rey, Y. Torres, F. Relimpio, R. Pino, E. Lissen, A. Sánchez-Quijano and F. Luque* 476

The effect of the menstrual cycle on exhaled nitric oxide and urinary nitrate concentration: *N. H. Morris, S. R. Sooranna, P. J. Steer and J. B. Warren* 481

Absence of cholesteryl ester transfer protein-mediated cholesteryl ester mass transfer from high-density lipoprotein to low-density lipoprotein particles is a major feature of combined hyperlipidaemia: *M. Guérin, É. Bruckert, P. J. Dolphin and M. J. Chapman* 485

Quantitative analysis of HCV RNA and genotype in patients with chronic hepatitis C accompanied by oral lichen planus: *Y. Nagao, M. Sata, K. Itoh, K. Tanikawa and T. Kameyama* 495

Induction of heat shock protein 70 genes in human lymphocytes during fever therapy: *R. Dressel, L. Heine, L. Elsner, G. Geginat, O. Gefeller, K. F. Kölmel and E. Grünther* 499

Human simple renal cyst fluid contains a cyst formation-promoting activity for Madin-Darby canine kidney cells cultured in collagen gel: *M. Taide, S. Kanda, T. Igawa, J. Eguchi, H. Kanetake and Y. Saito* 506

Epitope mapping of the Ro/SSA60KD autoantigen reveals disease-specific antibody-binding profiles: *J. G. Routsias, A. G. Tzioufas, M. Sakarellos-Daitsiotis, C. Sakarellos and H. M. Moutsopoulos* 514

Rapid Communication: Endothelium activation related increase in soluble intercellular adhesion molecule-1 in human schistosomiasis. Lack of correlation with serology: *H. Lejoly-Boisseau, A. D. Blann, M. Seigneur, J. Tribouley-Duret, J. Tribouley and M. R. Boisseau* 522

Number 7, July 1996

Review: Growth hormone, insulin-like growth factors and bone remodelling: *E. F. Eriksen, M. Kassem and B. Langdahl* 525

Review: The pathogenesis of vascular complications of diabetes mellitus: one voice or many? : *C. D. A. Stehouwer and N. C. Schaper* 535

Prostacyclin (PGI_2): a potential mediator of *c-fos* expression induced by hydrostatic pressure in osteoblastic cells : *H. Glantschnig, F. Varga, M. Rumpler and K. Klaushofer* 544

Cyclosporine induces high bone turnover and may contribute to bone loss after heart transplantation: *D. Thiébaud, M. A. Krieg, D. Gillard-Berguer, A. F. Jacquet, J. J. Goy and P. Burckhardt* 549

Renovascular hypertension and insulin sensitivity: *A. Natali, A. Quiñones Galvan, F. Arzilli, S. Taddei, N. Pecori, S. Frascerra, A. Salvetti and E. Ferrannini* 556

Association between eating behaviour and current glycaemic control, body mass or autonomic nervous function in long-term type I and type II diabetic patients : *R. H. Straub, L. Lamparter-Lang, K. -D. Palitzsch and J. Schölmerich* 564

Activation of endothelial cells during insulin-dependent diabetes mellitus: a biochemical and morphological study: *N. Cester, R. A. Rabini, E. Salvolini, R. Staffolani, A. Curatola, A. Pugnaloni, M. A. Brunelli, G. Biagini and L. Mazzanti* 569

Intestinal phase of human antro-pyloro-duodenal motility: cholinergic and CCK-mediated regulation: *M. Katschinski, J. Schirra, C. Beglinger, S. Langbein, U. Wank, M. D'Amato and R. Arnold* 574

Renal and hormonal actions of atrial natriuretic peptide during angiotensin II or noradrenaline infusion in man : *H. Eiskjær, C. B. Nielsen, S. S. Sørensen and E. B. Pedersen* 584

Detection of gram-negative bacteraemia in early sepsis by a quantitative chromogenic and kinetic endotoxin assay: *D. Massignon, A. Lepape, G. Debize, M. F. Remillieux, V. De Pasquale, V. Banssillon and P. Cœur* 596

Effects of bile salt hydrophobicity on crystallization of cholesterol in model bile: *K. J. van Erpecum, P. Portincasa, M. Gadellaa, B. J. M. van de Heijning, G. P. van Berge Henegouwen and W. Renooij* 602

Rapid Communication: Tumour necrosis factor alpha stimulates gastrin release from canine and human antral G cells: possible mechanism of the *Helicobacter pylori*–gastrin link : *I. L. P. Beales, L. Post, J. Calam, T. Yamada and J. Delvalle* 609

Number 8, August 1996

Review: *RET* receptor tyrosine kinase gene mutations: molecular biological, physiological and clinical aspects: *J. W. M. Höppener and C. J. M. Lips* 613

Review: Antihypertensive drugs and cerebral circulation: *S. Strandgaard and O. B. Paulson* 625

Lipoprotein lipase gene mutations D9N and N291S in four pedigrees with familial combined hyperlipidaemia: *T. W. A. de Bruin, F. Mailly, H. H. J. J. van Barlingen, R. Fisher, M. Castro Cabezas, P. Talmud, G. M. Dallinga-Thie and S. E. Humphries* 631

Islet cell autoimmunity and progression to insulin-dependent diabetes mellitus in genetically high- and low-risk siblings of diabetic children: *J. Karjalainen, P. Vähäsalo, M. Knip, E. Tuomilehto-Wolf, E. Virtala, H. K. Akerblom and The Childhood Diabetes in Finland (DiMe) Study Group* 640

Insulin resistance shows selective metabolic and hormonal targets in the elderly: *G. Pagano, S. Marena, L. Scaglione, P. Bodoni, G. Montegrosso, A. Bruno, M. Cassader, G. Bonetti and P. Cavallo Perin* 650

Effects of glycerol trinitrate on the pyloric motor response to intraduodenal triglyceride infusion in humans: *W. M. Sun, S. Doran, Th. Lingenfelser, G. S. Hebbard, J. E. Morley, J. Dent and M. Horowitz* 657

Peripancreatic lymphoadenopathy and extrahepatic immunological manifestations in chronic hepatitis C: *S. Neri, C. M. Bruno, G. D'Angelo and S. Russo* 665

Decrease in lipoprotein(a) after renal transplantation is related to the glucocorticoid dose: *N. von Ahsen, M. Helmhold, T. Eisenhauer, V. W. Armstrong and M. Oellerich* 668

Divergent effects of propranolol and nadolol in isolated mesenteric arteries from normal and portal hypertensive rats: *R. E. Stauber, A. Heinemann, M. Trauner and G. J. Krejs* 676

New evidence that serum β_2-microglobulin behaves as a biological marker of bone remodelling in women: *E. Ripoli, M. Revilla, E. R. Hernández, I. Arribas, L. F. Villa, H. Rico* [132/95] 681

Longitudinal analysis of soluble intercellular adhesion molecule 1 in retinal vasculitis patients: *H. E. Palmer, A. G. Zaman, B. A. Ellis, M. R. Stanford, E. M. Graham and G. R. Wallace* 686

Elevation of plasminogen activator inhibitor 1 in borderline hypertension is linked to concomitant metabolic disturbances: *C. Lemne and U. de Faire* 692

Effects of the sulphydryldonor *N*-acetyl-l-cysteine on nerve conduction, perfusion maturation and regeneration following freeze damage in diabetic rats: *A. Love, M. A. Cotter and N. E. Cameron* 698

Involvement of the l-arginine–nitric oxide pathway in hyperglycaemia-induced coronary artery dysfunction of isolated guinea pig hearts: *T. C. Wascher, M. Bachernegg, A. Kickenweiz, G. Stark, U. Stark, H. Toplak and W. F. Graier* 707

Erratum 713

Number 9, September 1996

Review: Bile acid transport systems as pharmaceutical targets: *W. Kramer and G. Wess* 715

Review: Apolipoprotein function in health and disease: insights from natural mutations: *G. Franceschini* 733

Red blood cell aggregability is increased by aspirin and flow stress, whereas dipyridamole induces cell shape alterations: measurements by digital image analysis : *J. Bozzo, M. R. Hernández, A. del Giorgio and A. Ordinas* 747

Utilization of myristic and palmitic acid in humans fed different dietary fats: *D. E. MacDougall, P. J. H. Jones, J. Vogt, P. T. Phang and D. D. Kitts* 755

Effects of low- and conventional-dose transcutaneous HRT over 2 years on bone metabolism in younger and older postmenopausal women: *C. A. Sharp, S. F. Evans, L. Risteli, J. Risteli, M. Worsfold and M. W. J. Davie* 763

Direct vasodilator effects of physiological hyperinsulinaemia in human skeletal muscle: *C. J. J. Tack, A. E. P. Schefman, J. L. Willems, T. Thien, J. A. Lutterman and P. Smits* 772

A simple, rapid immunometric assay for determination of functional and growth hormone-occupied growth hormone-binding protein in human serum : *S. Fisker, J. Frystyk, L. Skriver, E. Vestbo, K. K. Y. Ho and H. Ørskov* 779

Complexes between proteinase 3, α_1-antitrypsin and proteinase 3 anti-neutrophil cytoplasm autoantibodies: a comparison between α_1-antitrypsin PiZ allele carriers and

non-carriers with Wegener's granulomatosis: *B. Baslund, W. Szpirt, S. Eriksson, A.-N. Elzouki, A. Wiik, J. Wieslander and J. Petersen* 786

Vitamin D receptor genotypes are related to bone size and bone density in men : *A. G. Need, M. Horowitz, A. Stiliano, F. Scopacasa, H. A. Morris and B. E. Chatterton* 793

Synthesis and release of phosphatidylcholine by isolated porcine gastric mucous cells in primary culture: *W. Bernhard, H. Schulte, M. Piller and K.-F. Sewing* 797

Butyrate enhances major histocompatibility complex class I, HLA-DR and ICAM-1 antigen expression on differentiated human intestinal epithelial cells: *S. Siavoshian, H. M. Blottière, N. Bentouimou, C. Cherbut and J. P. Galmiche* 803

Adrenalitis and the adrenocortical response of resistant and susceptible mice to acute murine cytomegalovirus infection: *P. Price, S. D. Olver, M. Silich, T. Z. Nador, S. Yerkovich and S. G. Wilson* 811

Elevated serum transforming growth factor $\beta 1$ level in primary lung cancer patients with finger clubbing: *Y. Hirakata and S. Kitamura* 820

Rapid Communication: Vasodilator responses to nitric oxide are enhanced in mesenteric arteries of portal hypertensive rats: *A. Heinemann and R. E. Stauber* 824

Number 10, October 1996

Review: Islet cell autoantigens in type 1 diabetes: *M. R. Christie* 827

Plasma noradrenaline and ageing: effects of smoking habits: *E. W. Jensen, K. Espersen, I.-L. Kanstrup and N. J. Christensen* 839

Effect of polymorphism in the insulin gene region on IDDM susceptibility and insulin secretion: *M. Halminen, R. Veijola, H. Reijonen, J. Ilonen, H. K. Åkerblom, M. Knip and the Childhood Diabetes in Finland (DiMe) Study Group* 847

Hyperhomocysteinaemia – a common finding in a psychogeriatric population: *K. Nilsson, L. Gustafson, R. Fäldt, A. Andersson, L. Brattström, A. Lindgren, B. Israelsson and B. Hultberg* 853

Iloprost effects on phagocytes in patients suffering from ischaemic diseases: *in vivo* evidence for down-regulation of $\alpha M\beta_2$ integrin: *A. Mazzone, I Mazzucchelli, G. Fossati, D. Gritti, S. Girola, C. Canale, C. Cusa and G. Ricevuti* 860

Expression of nitric oxide synthase in ulcerative colitis: *A. J. Godkin, A. J. de Belder, L. Villa, A. Wong, J. E. Beesley, S. P. Kane and J. F. Martin* 867

OKT3-induced nephrotoxicity is associated with release of group II secretory phospholipase A_2: *P. C. Wever, R. W. Roest, A. M. Wolbink-Kamp, G. J. Wolbink, J. J. Weening, C. E. Hack and R. J. M. Ten Berge* 873

Lack of effect of desmopressin on ACTH and cortisol responses to ovine corticotropin-releasing hormone in anorexia nervosa: *L. Foppiani, P. Sessarego, S. Valenti, M. R. Falivene, C. M. Cuttica and M. Giusti Disem* 879

Effects of *N*-acetylcysteine on bacterial clearance: *T. Koch, S. Heller, S. Heißler, I. Breil, H. G. Schiefer, K. van Ackern and H. Neuhof* 884

Defective biliary copper excretion in Wilson's disease: the role of caeruloplasmin: *W. Davis, G. F. E. Chowrimootoo and C. A. Seymour* 893

Carrier detection by microsatellite haplotyping in 10 properdin type 1-deficient families: *C. A. P. Fijen, R. van den Bogaard, M. R. Daha, J. Dankert, M. Mannens and E. J. Kuijper* 902

The value of serial determination of MEGX and hyaluronic acid early after orthotopic liver transplantation: *E. Schütz, M. Luy-Kaltefleiter, M. Kaltefleiter, M. Burdelski, B. Ringe, V. W. Armstrong and M. Oellerich* 907

Red blood cell ghosts are affected by adrenoleucodystrophy: *G. Arienti, E. Carlini, S. Laureti, P. Brunetti and F. Santeusanio* 917

HIV-1 viraemia changes in patients with and without syncytium-inducing phenotype treated with nucleoside analogues: a case–control study: *M. Leal, Y. Torres, F. J. Medrano, C. Rey, A. Caruz, A. Sánchez-Quijano and E. Lissen* 923

Effect of hypercholesterolaemia on platelet growth factors: *I. García-Bolao, J. Merino, A. Martínez, A. Grau, E. Alegría and D. Martínez-Caro* 929

Rapid Communication: Elevated interleukin-1β in the circulation of patients with essential hypertension before any drug therapy: a pilot study: *G. N. Dalekos, M. S. Elisaf, N. Papagalanis, C. Tzallas and K. Siamopoulos* 936

Rapid Communication: Acute insulin administration does not affect plasma leptin levels in lean or obese subjects: *E. Muscelli, S. Camastra, A. Masoni, S. Baldi, A. M. Sironi, A. Natali and E. Ferrannini* 940

Letter to the Editor 944

Number 11, November 1996

Ultrasonic parameters of bone in young normals: effect of age and sex: *S. Minisola, C. Tirafili, R. Rosso, G. Costa and G. Mazzuoli* 947

Dexamethasone and cyclosporin A modulation of cytokine expression and specific antibody synthesis in an allergic bronchopulmonary aspergillosis murine model: *J. M. Wang, H. W. Chu, M. Bossé, J. St-Pierre, M. Boutet and M. Laviolette* 951

Multifactorial treatment of hypertensive men at high cardiovascular risk and low-density lipoprotein cholesterol affinity to human arterial proteoglycans: *B. Fagerberg, O. Wiklund, S. Agewall, G. Camejo and R. J. Wikstrand* 960

Effects of vasopressin on human renal arteries: *P. Medina, J. M. Vila, M. C. Martinez, M. Aldasoro, P. Chuan and S. Lluch* 966

The effects of hyperinsulinaemia on myocardial mass, blood pressure regulation and central haemodynamics in rats: *A. Holmäng, N. Yoshida, E. Jennische, A. Waldenström and P. Björntorp* 973

Kinetics of primary bile acids in patients after orthotopic liver transplantation: *P. Sauer, G. Rudolph, R. Endele, M. Senn, L. Theilmann, G. Otto, W. Stremmel and A. Stiehl* 979

A method for the isolation and preparation of surfactant from tracheobronchial aspirates in infants and children for quantitative and pulsating bubble analysis: *K. Raymondos, I. Martin-Carrera, W. Bernhard, C. Poets and H. von der Hardt* 983

Human corticotropin-releasing hormone and thyrotropin-releasing hormone modulate the hypercapnic ventilatory response in humans: *R. Schulz, M. Nink, G. S. Werner, S. Andreas, H. Kreuzer, J. Beyer and H. Lehnert* 989

Flow cytometric analysis of platelet activation markers CD62P and CD63 in patients with coronary artery disease: *T. Murakami, Y. Komiyama, M. Masuda, H. Kido, S. Nomura, S. Fukuhara, M. Karakawa, T. Iwasaka and H. Takahashi* 996

Influence of insulin on cholesterol removal from macrophages and cholesterol ester uptake by HepG2 cells: *I. Wybrańska, E. Baczyńska, U. Ciałowicz, A. Polus and A. Dembińska-Kieć* 1004

Characterization of a soluble form of neutral endopeptidase-24.11 (EC 3.4.24.11) in human serum: enhancement of its activity in serum of underground miners exposed to coal dust particles: *J.-M. Soleilhac, C. Lafuma, J.-M. Porcher, G. Auburtin and B. P. Roques* 1011

Cytokine profile in chronic cardiac failure: *I. C. Steele, A.-M. Nugent, S. Maguire, M. Hoper, G. Campbell, M. I. Halliday and D. P. Nicholls* 1018

Human and porcine smooth muscle cells share similar proliferation dependence on the mevalonate pathway: implication for *in vivo* interventions in the porcine model: *J. Martínez-González and Lina Badimon* 1023

Prospective cross-over comparisons of three low-density lipoprotein (LDL)-apheresis methods in patients with familial hypercholesterolaemia: *D. Schaumann, M. Welch-Wichary, A. Voss, H. Schmidt and C. J. Olbricht* 1033

Referees for 1995 1039

Number 12, December 1996

Review: Physiology and pathophysiology of aquaporins: *S. M. Mulders, A. F. van Leiburg, L. A. H. Monnens, N. V. A. M. Knoers, P. M. T. Deen and C. H. van Os* 1041

Identification of steroid receptors in human adipose tissue: *S. B. Pedersen, S. Fuglsig, P. Sjøgren and B. Richelsen* 1051

Biosynthesis of prostacyclin and thromboxane A_2 during chronic hypoxaemia in children with cyanotic congential heart disease: *A. Leonhardt, J. Magsaam, M. Goldner, P. G. Kühl and H. W. Seyberth* 1057

Effect of hormone replacement therapy on the susceptibility of low-density lipoprotein to oxidation among postmenopausal hypercholesterolaemic women: *M. S. Nenseter, V. Volden, T. Berg, C. A. Drevon, L. Ose and S. Tonstad* 1062

Phyllanthus amarus down-regulates hepatitis B virus mRNA transcription and replication: *C. -D. Lee, M. Ott, S. P. Thyagarajan, D. A. Shafritz, R. D. Burke and S. Gupta* 1069

Diadenosine polyphosphates induce transplasma membrane calcium influx in cultured glomerular mesangial cells: *M. Tepel, S. Heidenreich, H. Schlüter, A. Beinlich, J. R. Nofer and M. Walter* 1077

Effects of isolated limb perfusion with tumour necrosis factor-alpha on the function of monocytes and T lymphocytes in patients with cancer: *T. C. Stam, M. Jongen-Lavrencic, A. M. M. Eggermont and A. J. G. Swaak* 1085

Molecular analysis of the T-cell receptor b-chain repertoire in early rheumatoid arthritis: heterogeneous TCRBV gene usage with shared amino acid profiles in CDR3

regions of T lymphocytes in multiple synovial tissue needle biopsies from the same joint: *L. Struyk, G. E. Hawes, H. M. M. Mikkers, P.-P. Tak, F. C. Breedveld and P. J. van den Elsen* 1092

Helicobacter pylori and proteolytic activity: *M. Nilius, M. Pugliese and P. Malfertheiner* 1103

To determine the effects of ultraviolet light, natural light and ionizing radiation on pyridinium cross-links in bone and urine using high-performance liquid chromatography: *A. Colwell, A. Hamer, A. Blumsohn and R. Eastell* 1107

Polymorphism of the apolipoprotein A-IV gene and its significance in lipid metabolism and coronary heart disease in a Japanese population: *H. Bai, K. Saku, R. Liu, Y. Oribe, K. Yamamoto and K. Arakawa* 1115

Different effects of continuous oestrogenprogestin and transdermal oestrogen with cyclic progestin regimens on low-density lipoprotein subclasses: *M. Tilly-Keisei, M. Lappi, J. Puolakka, H. Luotola, T. Pyörälä and M.-R. Taskinen* 1125

Screening and characterization of specific anti-lipopolysaccharide antibodies in Belgian blood donors by enzyme-linked immunosorbent assays: *M. Nys, R. Laub, P. Damas, D. Sondag, T. Goethals, D. Jamaer, L. Joassin and M. Lamy* 1134